

A. S. HALLIDIE & CO.

MANUFACTURERS OF

IRON AND STEEL WIRE ROPE.

ESTABLISHED, 1857.

OFFICE, 412 CLAY ST. WORKS, NORTH BEACH.
SAN FRANCISCO.**Mining Companies, Ferrymen and Shipmasters**

Are informed that WIRE ROPE can be furnished them, considerably under the cost of Hemp or Manila Rope of equal strength.

WIRE ROPE does not stretch or shrink by change of weather. It weighs 40 per cent. less than Hemp, is less than one-half the diameter; it is easily spliced under all circumstances; is as pliable for equal strength, and is three to five times as durable as the best Hemp or Manila Rope.

It is almost exclusively used throughout the principal mining regions, and by the leading ship owners, and thirty years experience has tested its merits and proved its great economy and superiority over any other kind of Rope.

We have entirely remodeled our manufactory. With new and improved machinery, and by the careful selections of only the best material, the WIRE ROPES turned out from our establishment, we guarantee to be equal to any made.

Round Iron Wire Rope, $\frac{1}{2}$ to $1\frac{1}{4}$ inches diameter,

Flat Iron Wire Rope, $2\frac{1}{4} \times \frac{3}{8}$ to 5×1 inch diameter,

For Hoisting from Inclines and Shafts.

Round Steel Wire Rope, $\frac{3}{8}$ to 1 inch diameter,

For Derrick Fall Ropes and Hoisting Purposes.

Flat Steel Wire Rope, $2 \times \frac{1}{4}$ to $3\frac{1}{2} \times \frac{5}{8}$,

For Hoisting from Deep Shafts.

Ungalvanized or Galvanized Round Wire Rope, $\frac{1}{2}$ to $2\frac{1}{2}$ inches diameter,

For Ship Rigging, Derrick Cams, Buoy and Flying Ferry Ropes.

Iron and Copper Wire Cord, $\frac{1}{8}$ to $\frac{3}{8}$ inches diameter,

For hanging Window Shades, Dumb Waiters, Signals, Etc.

Suitable Sash Pullies furnished with Sash Cord.

Galvanized Iron Wire Strands, $\frac{1}{4}$ to $\frac{3}{8}$ inches diameter,

For fencing in Lands, Etc.

NOTE.—Steel Wire Rope weighs about 60 per cent. of Iron Wire Rope, or 35 per cent. of Manila, of equal strength. It is admirably adapted for Fall Rope for derricks with suitable sheaves, and for hoisting purposes, when there is much rough work. Its extreme lightness effects quite a saving in freight to remote points, Manila or Hemp Rope weighing three times its weight. See comparative weight, strength and sizes of

Steel Wire Rope.		Iron Wire Rope.		Hemp Rope.		Working Load of each.
Circumference	Wt. of 100 ft.	Circumference	Wt. of 100 ft.	Circumference	Wt. of 100 ft.	
2	55	2-12	83	6	130	3,700 lbs.
23-8	83	3	139	71-4	185	5,000 "

A full scale of weights and strengths, with prices, can be obtained from any of our Agents, or by sending to the manufacturers, who will forward the same by return mail.

WIRE SUSPENSION BRIDGES.

We are prepared to contract for the erection of Suspension Bridges and Aqueducts, guaranteeing our work, and can refer to the many Bridges erected under the superintendence of A. S. HALLIDIE, C. E., during the last seven years on this coast, of spans from 200 to 400 feet.

Material for Wire Suspension Bridge construction, furnished low.

Wire of all kinds constantly on hand.